

NYLON STANDARD SPACERS

Nylon spacers may be molded or cut from bar stock, depending on thickness required. These spacers resist creep (yielding to pressure) and sustain required separation. They are also impact

resistant and relatively impervious to temperature extremes, organic solvents, oils and gasoline. For information on threaded hex spacers refer to WCL's Threaded Products catalog.

Screw Size	Nominal Dimensions			Alternate Part Number
	I.D.	O.D.	Length	
2	.063	.187	.250	SSP187063250
2	.063	.187	.300	SSP187063300
2	.091	.187	.125	SP1
2	.091	.187	.187	SP3
2	.091	.187	.187	SP23
2	.091	.187	.250	SP5
2	.091	.187	.312	SP7
2	.091	.187	.375	SP9
2	.091	.187	.437	SP11
2	.091	.187	.500	SP13
2	.091	.187	.562	SP15
2	.091	.187	.625	SP17
2	.091	.187	.687	SP19
2	.091	.187	.750	SP21
2	.091	.187	.875	SP25
2	.091	.187	.937	SP27
2	.091	.187	1.000	SP29
2	.091	.188	.330	SSP188091330
2	.091	.250	.125	SP31
2	.091	.250	.187	SP35
2	.091	.250	.187	SP75
2	.091	.250	.250	SP39
2	.091	.250	.312	SP43
2	.091	.250	.375	SP47
2	.091	.250	.437	SP51
2	.091	.250	.500	SP55
2	.091	.250	.562	SP59
2	.091	.250	.625	SP63
2	.091	.250	.687	SP67
2	.091	.250	.750	SP71
2	.091	.250	.875	SP79
2	.091	.250	.937	SP83
2	.091	.250	1.000	SP87
4	.110	.250	.530	SSP250110530
4	.115	.187	.125	SP2
4	.115	.187	.187	SP4
4	.115	.187	.187	SP24
4	.115	.187	.250	SP6
4	.115	.187	.312	SP8
4	.115	.187	.375	SP10
4	.115	.187	.437	SP12
4	.115	.187	.500	SP14

Screw Size	Nominal Dimensions			Alternate Part Number
	I.D.	O.D.	Thick	
4	.115	.187	.562	SP16
4	.115	.187	.625	SP18
4	.115	.187	.687	SP20
4	.115	.187	.750	SP22
4	.115	.187	.875	SP26
4	.115	.187	.937	SP28
4	.115	.187	.156	SSP187115156
4	.115	.187	.225	SSP187115225
4	.115	.187	1.000	SP30
4	.115	.250	.125	SP32
4	.115	.250	.187	SP36
4	.115	.250	.187	SP76
4	.115	.250	.250	SP40
4	.115	.250	.312	SP44
4	.115	.250	.375	SP48
4	.115	.250	.437	SP52
4	.115	.250	.500	SP56
4	.115	.250	.562	SP60
4	.115	.250	.625	SP64
4	.115	.250	.687	SP68
4	.115	.250	.750	SP72
4	.115	.250	.875	SP80
4	.115	.250	.937	SP84
4	.115	.250	1.000	SP88
4	.115	.312	.125	SP91
4	.115	.312	.187	SP95
4	.115	.312	.250	SP99
4	.115	.312	.375	SP107
4	.115	.312	.437	SP111
4	.115	.312	.500	SP115
4	.115	.312	.562	SP119
4	.115	.312	.625	SP123
4	.115	.312	.687	SP127
4	.115	.312	.750	SP131
4	.115	.312	.812	SP135
4	.115	.312	.875	SP139
4	.115	.312	.937	SP143
4	.115	.312	.937	SP103
4	.115	.312	1.000	SP147
4	.120	.187	.315	SSP316120315
4	.120	.187	.340	SSP316120340
4	.120	.187	.430	SSP316120430

NYLON STANDARD SPACERS

Screw Size	Nominal Dimensions			Alternate Part Number
	I.D.	O.D.	Length	
4	.120	.250	.800	SSP250120800
4	.125	.216	.135	SSP216125135
4	.125	.375	.437	SSP375125437
4	.126	.310	.410	SSP310126410
4	.126	.197	.276	SSP197126276
4	.138	.236	.118	SSP9353
4	.138	.354	.374	SSP93595
6	.140	.250	.125	SP33
6	.140	.250	.160	SSP250140160
6	.140	.250	.187	SP37
6	.140	.250	.250	SP41
6	.140	.250	.312	SP45
6	.140	.250	.375	SP49
6	.140	.250	.437	SP53
6	.140	.250	.500	SP57
6	.140	.250	.562	SP61
6	.140	.250	.625	SP65
6	.140	.625	.250	SSP625140250
6	.140	.250	.150	SSP250115160
6	.140	.250	.687	SP69
6	.140	.250	.750	SP73
6	.140	.250	.187	SP77
6	.140	.250	.875	SP81
6	.140	.250	.937	SP85
6	.140	.250	1.000	SP89
6	.140	.312	.125	SP92
6	.140	.312	.187	SP96
6	.140	.312	.250	SP100
6	.140	.312	.375	SP108
6	.140	.312	.437	SP112
6	.140	.312	.500	SP116
6	.140	.312	.562	SP120
6	.140	.312	.625	SP124
6	.140	.312	.687	SP128
6	.140	.312	.750	SP132
6	.140	.312	.812	SP136
6	.140	.312	.875	SP140
6	.140	.312	.937	SP104
6	.140	.312	.937	SP144
6	.140	.312	1.000	SP148
6	.140	.375	.125	SP158
6	.140	.375	.187	SP161
6	.140	.375	.250	SP164
6	.140	.375	.312	SP167
6	.140	.375	.375	SP170
6	.140	.375	.437	SP173
6	.140	.375	.500	SP176

Screw Size	Nominal Dimensions			Alternate Part Number
	I.D.	O.D.	Thick	
6	.140	.375	.562	SP179
6	.140	.375	.625	SP182
6	.140	.375	.687	SP185
6	.140	.375	.750	SP188
6	.140	.375	.187	SP191
6	.140	.375	.875	SP194
6	.140	.375	.937	SP197
6	.140	.375	1.000	SP200
6	.140	.500	.125	SP203
6	.140	.500	.187	SP208
6	.140	.500	.250	SP213
6	.140	.500	.312	SP218
6	.140	.500	.375	SP223
6	.140	.500	.437	SP228
6	.140	.500	.500	SP233
6	.140	.500	.562	SP238
6	.140	.500	.625	SP243
6	.140	.500	.687	SP248
6	.140	.500	.750	SP253
6	.140	.500	.187	SP258
6	.140	.500	.875	SP263
6	.140	.500	.937	SP268
6	.140	.500	1.000	SP273
6	.143	.252	.149	SSP250140149
6	.145	.500	.669	SSP500145669
6	.150	.250	.200	SSP250150200
6	.150	.250	.250	SSP250150250
6	.155	.250	.160	SSP250155160
6	.156	.500	.125	SSP500156125
6	.169	.236	.154	SSP6MM43M39M
8	.171	.250	.125	SP34
8	.171	.250	.187	SP38
8	.171	.250	.250	SP42
8	.171	.250	.312	SP46
8	.171	.250	.375	SP50
8	.171	.250	.437	SP54
8	.171	.250	.500	SP58
8	.171	.250	.562	SP62
8	.171	.250	.625	SP66
8	.171	.250	.650	SSP250171650
8	.171	.250	.687	SP70
8	.171	.250	.750	SP74
8	.171	.250	.187	SP78
8	.171	.250	.875	SP82
8	.171	.250	.937	SP86
8	.171	.250	1.000	SP90
8	.171	.312	.125	SP93

NYLON STANDARD SPACERS

Screw Size	Nominal Dimensions			Alternate Part Number
	I.D.	O.D.	Length	
8	.171	.312	.187	SP97
8	.171	.312	.250	SP101
8	.171	.312	.937	SP105
8	.171	.312	.375	SP109
8	.171	.312	.437	SP113
8	.171	.312	.500	SP117
8	.171	.312	.562	SP121
8	.171	.312	.625	SP125
8	.171	.312	.687	SP129
8	.171	.312	.750	SP133
8	.171	.312	.812	SP137
8	.171	.312	.875	SP141
8	.171	.312	.937	SP145
8	.171	.312	1.000	SP149
8	.171	.375	.125	SP159
8	.171	.375	.187	SP162
8	.171	.375	.203	SSP375171203
8	.171	.375	.250	SP165
8	.171	.375	.312	SP168
8	.171	.375	.375	SP171
8	.171	.375	.437	SP174
8	.171	.375	.500	SP177
8	.171	.375	.562	SP180
8	.171	.375	.625	SP183
8	.171	.375	.687	SP186
8	.171	.375	.750	SP189
8	.171	.375	.187	SP192
8	.171	.375	.875	SP195
8	.171	.375	.937	SP198
8	.171	.375	1.000	SP201
8	.171	.500	.125	SP204
8	.171	.500	.187	SP209
8	.171	.500	.187	SP259
8	.171	.500	.250	SP214
8	.171	.500	.312	SP219
8	.171	.500	.375	SP224
8	.171	.500	.437	SP229
8	.171	.500	.500	SP234
8	.171	.500	.562	SP239
8	.171	.500	.625	SP244
8	.171	.500	.687	SP249
8	.171	.500	.750	SP254
8	.171	.500	.875	SP264
8	.171	.500	.937	SP269
8	.171	.500	1.000	SP274
8	.180	.400	.140	SSP400180140
8	.187	.312	.187	SSP312187187

Screw Size	Nominal Dimensions			Alternate Part Number
	I.D.	O.D.	Thick	
8	.187	.312	.215	SSP312187215
10	.192	.250	.145	SSP250192145
10	.192	.625	.250	SSP625192250
10	.192	.375	.156	SSP375192156
10	.192	.375	.187	SSP37519217
10	.194	.375	.937	SP199
10	.194	.375	1.000	SP202
10	.194	.312	.125	SP94
10	.194	.312	.187	SP98
10	.194	.312	.250	SP102
10	.194	.312	.937	SP106
10	.194	.312	.375	SP110
10	.194	.312	.437	SP114
10	.194	.312	.500	SP118
10	.194	.312	.562	SP122
10	.194	.312	.625	SP126
10	.194	.312	.687	SP130
10	.194	.312	.750	SP134
10	.194	.312	.812	SP138
10	.194	.312	.875	SP142
10	.194	.312	.937	SP146
10	.194	.312	1.000	SP150
10	.194	.375	.125	SP160
10	.194	.375	.187	SP163
10	.194	.375	.187	SP193
10	.194	.375	.250	SP166
10	.194	.375	.312	SP169
10	.194	.375	.375	SP172
10	.194	.375	.437	SP175
10	.194	.375	.500	SP178
10	.194	.375	.562	SP181
10	.194	.375	.625	SP184
10	.194	.375	.687	SP187
10	.194	.375	.750	SP190
10	.194	.375	.875	SP196
10	.194	.500	.125	SP205
10	.194	.500	.187	SP210
10	.194	.500	.187	SP260
10	.194	.500	.250	SP215
10	.194	.500	.312	SP220
10	.194	.500	.312	SSP500194312
10	.194	.500	.375	SP225
10	.194	.500	.437	SP230
10	.194	.500	.500	SP235
10	.194	.500	.562	SP240
10	.194	.500	.625	SP245

NYLON STANDARD SPACERS

Screw Size	Nominal Dimensions			Alternate Part Number
	I.D.	O.D.	Length	
10	.194	.500	.750	SP255
10	.194	.500	.875	SP265
10	.194	.500	.937	SP270
10	.194	.500	1.000	SP275
10	.194	.500	.687	SP251
10	.195	.750	.750	SSP750195750
10	.196	.380	.940	SSP380196940
10	.209	.620	.187	SSP620209187
10	.219	.375	.250	SSP375219250
10	.219	.500	.125	SP206
10	.219	.500	.187	SP211
10	.219	.500	.250	SP216
10	.219	.500	.312	SP221
10	.219	.500	.375	SP226
10	.219	.500	.437	SP231
10	.219	.500	.500	SP236
10	.219	.500	.562	SP241
10	.219	.500	.625	SP246
10	.219	.500	.687	SP250
12	.219	.500	.187	SP261
12	.219	.500	.719	SSP500219719
12	.219	.500	.750	SP256
12	.219	.500	.875	SP266
12	.219	.500	.937	SP271
12	.219	.500	1.000	SP276
12	.220	.748	.252	SSP748220252
12	.222	.313	.238	SSP313222238
12	.222	.379	.906	SSP379222906
12	.236	.354	.224	SSP657
1/4	.250	.562	.562	SSP562250562
1/4	.250	.625	.375	SSP625250375
1/4	.250	.625	.625	SSP625250625
1/4	.250	.625	.640	SSP625250640
1/4	.250	.750	.312	SSP750250312
1/4	.257	.500	.125	SP207
1/4	.257	.500	.187	SP212
1/4	.257	.500	.187	SP262

Screw Size	Nominal Dimensions			Alternate Part Number
	I.D.	O.D.	Thick	
1/4	.257	.500	.197	SSP500257197
1/4	.257	.500	.250	SP217
1/4	.257	.500	.312	SP222
1/4	.257	.500	.359	SSP500257359
1/4	.257	.500	.375	SP227
1/4	.257	.500	.437	SP232
1/4	.257	.500	.500	SP237
1/4	.257	.500	.562	SP242
1/4	.257	.500	.625	SP247
1/4	.257	.500	.687	SP252
1/4	.257	.500	.750	SP257
1/4	.257	.500	.875	SP267
1/4	.257	.500	.937	SP272
1/4	.257	.500	1.000	SP277
1/4	.257	.750	1.000	SSP7502571
1/4	.260	.625	.250	SSP625260250
1/4	.280	.500	.250	SSP500280250
1/4	.300	.500	.187	SSP500300187
5/16	.312	.687	.250	SSP687312250
5/16	.314	.590	.359	SSP590314359
5/16	.314	.750	.313	SSP750314313
5/16	.317	.500	.337	SSP500317337
5/16	.320	.437	.187	SSP437320187
5/16	.325	.480	1.250	SSP480325125
5/16	.326	.480	.250	SSP480325250
5/16	.343	1.000	.125	SSP1000343125
5/16	.343	1.000	.312	SSP1343312
5/16	.344	1.000	.1875	SSP13441875
5/16	.350	.750	.685	SSP750350685
3/8	.375	.218	1.187	SSP218375113
3/8	.375	1.000	.625	SSP1375625
3/8	.379	.560	.562	SSP560379315
3/8	.382	.750	.437	SSP750382437
3/8	.403	.750	.312	SSP750403312
1/2	.510	.750	.188	SSP750101188
9/16	.669	1.457	.315	SSP1457669315
9/16	1.000	1.500	.500	SSP151500